Claims

1. (Currently Amended) A compound of formula (I), or a pharmaceutically acceptable salt, or ester or prodrug thereof:

$$R_9$$
 $N-X-Q-Y$
 (I)

Wherein:

Z is CR₄R₂, NR₃, O or S;

R is selected from the group consisting of hydroxy, an optionally substituted C_1 - C_7 alkoxy, C_2 - C_7 alkenoxy, cycloalkyloxy, aryloxy, heteroaryloxy, aryl- C_1 - C_7 alkoxy or heteroaryl- C_1 - C_7 alkoxy, an optionally substituted C_1 - C_7 alkyl or C_2 - C_7 alkenyl, an optionally substituted aryl- C_1 - C_7 alkyl group;

R9 represents one or more ring substituents selected from the group consisting of is H, hydroxy, an optionally substituted C_1 - C_7 alkoxy, C_2 - C_7 alkoxy, cycloalkyloxy, aryloxy, heteroaryloxy, aryl- C_4 - C_7 alkoxy or heteroaryl- C_4 - C_7 alkoxy, an optionally substituted C_4 - C_7 alkyl or C_2 - C_7 alkyl an optionally substituted aryl, heteroaryl or an optionally substituted aryl- C_4 - C_7 alkyl group;

R₁, R₂, and R₃ are independently is selected from the group consisting of H and C₁-C₇ alkyl;

X is a C₃-C₁₈ cycloalkyl, heterocycloalkyl, aryl or heteroaryl or phenyl; each of which may be optionally substituted with halogen hydroxyl, C₁-C₇ alkyl;

Q is a linker of between 1 and 3 atoms in length; is selected from the group consisting of: -CH₂-, -CH₂-CH₂-, -CH₂-, -CH₂-

Y is <u>piperidinyl</u>, <u>azepanyl</u>, <u>azocanyl</u>, <u>tetrahydropyranyl</u> or 8-aza-bicyclo[3.2.1]oct-8-yl, <u>each of</u> which is optionally substituted with hydroxy, <u>amino</u>, <u>halo</u>, <u>C</u>₁-C₇ alkyl C₃-C₁₈ cycloalkyl, heterocycloalkyl, bridged cycloalkyl, bridged heterocyloalkyl, aryl, heteroaryl, fused arylheterocycloalkyl, all of which are independently optionally substituted once or more;

the optional substituent or substituents on R and R9 being independently selected from the group consisting of halogen, hydroxy, C_1 - C_7 alkyl, mono or di- C_1 - C_7 alkylamino, aminocarbonyl, mono or di- C_1 - C_7 alkylaminocarbonyl, amino, carboxy, C_1 - C_7 alkoxy, C_3 - C_{12} cycloalkyl, C_3 - C_{18} heterocycloalkyl, C_1 - C_7 alkylcarbonyl, C_1 - C_7 alkoxycarbonyl, nitryl, aryl; all of which, except halogen, are independently optionally substituted by one or more substituents, selected from the group consisting of halogen, hydroxyl, C_1 - C_7 alkyl, mono or di- C_1 - C_7 alkylamino, aminocarbonyl, mono or di- C_1 - C_7 alkylaminocarbonyl, amino, carboxy, C_1 - C_7 alkoxy, C_3 - C_{12} cycloalkyl, C_3 - C_{18} heterocycloalkyl, C_1 - C_7 alkylcarbonyl, C_1 - C_7 alkoxycarbonyl, nitryl, aryl;

the optional substituent or substituents on X being independently selected from the group consisting of halogen, hydroxyl, C_4 - C_7 -alkyl, mono or di- C_4 - C_7 -alkylamino, aminocarbonyl, mono or di- C_4 - C_7 -alkylaminocarbonyl, amino, carboxy, C_4 - C_7 -alkoxy, C_3 - C_{42} -cycloalkyl, C_3 - C_{48} -heterocycloalkyl, C_4 - C_7 -alkylcarbonyl, C_4 - C_7 -alkoxycarbonyl, nitryl, aryl; all of which, except halogen, are independently optionally substituted by one or more substituents, selected from the group consisting of halogen, hydroxyl, C_4 - C_7 -alkyl, mono or di- C_4 - C_7 -alkylamino, aminocarbonyl, mono or di-lower alkylaminocarbonyl, amino, carboxy, C_4 - C_7 -alkoxy, C_3 - C_{42} -cycloalkyl, C_3 - C_{48} -heterocycloalkyl, C_4 - C_7 -alkylcarbonyl, C_4 - C_7 -alkoxycarbonyl, nitryl, aryl;

the optional substituent or substituents on Y being independently selected from the group consisting of halogen, hydroxyl, C₄-C₇ alkyl, mono or di-C₄-C₇ alkylamino, aminocarbonyl, mono or di-C₄-C₇ alkylaminocarbonyl, amino, carboxy, C₄-C₇ alkoxy, C₃-C₄₂ cycloalkyl, C₃-C₄₈ heterocycloalkyl, C₄-C₇ alkylcarbonyl, C₄-C₇ alkoxycarbonyl, nitryl, aryl; all of which, except halogen, are independently optionally substituted by one or more substituents, selected from the group consisting of halogen, hydroxyl, C₄-C₇ alkyl, mono or di-C₄-C₇-alkylamino, aminocarbonyl, mono or di-C₄-C₇ alkylaminocarbonyl, amino, carboxy, C₄-C₇ alkoxy, C₃-C₄₂ cycloalkyl, C₃-C₄₈ heterocycloalkyl, C₄-C₇ alkylcarbonyl, C₄-C₇ alkoxycarbonyl, nitryl, aryl.

2. (Currently Amended) A compound of formula (II), or a pharmaceutically acceptable salt, or ester or prodrug thereof:

$$P(I)$$
 $P(I)$
 $P(I)$

wherein:

Z' is NH, NCH3, CH2, S or O;

R' is hydroxy, or an optionally substituted C_1 - C_7 alkoxy, C_2 - C_7 -alkenyloxy, cycloalkyl- C_4 - C_7 alkyloxy, aryloxy, heteroaryl- C_4 - C_7 -alkyloxy, or aryl- C_4 - C_7 -alkyloxy, an optionally substituted aryl- C_4 - C_7 -alkyl-group;

X' is selected from the group consisting of:

Q' is selected from the group consisting of: $-CH_{2^-}$, $-CH_{2^-}$ CH₂-CH

Y' is piperidinyl, azepanyl, azocanyl, tetrahydropyranyl, 8-aza-bicyclo[3.2.1]oct-8-yl, each of which is optionally substituted with hydroxy, amino, halo, C₁-C₇ alkyl selected from the group consisting of: C₃ C₁₈ cycloalkyl, heterocycloalkyl, bridged cycloalkyl, bridged heterocyloalkyl, aryl, heterocycloalkyl, all of which are independently optionally substituted once or more;

the optional substituent or substituents on R' being independently selected from the group consisting of halogen, hydroxy, C_1 - C_7 alkyl, mono or di- C_1 - C_7 alkylamino, aminocarbonyl, mono or di- C_1 - C_7 alkylaminocarbonyl, amino, carboxy, C_1 - C_7 alkoxy, C_3 - C_{12} cycloalkyl, C_3 - C_{18} heterocycloalkyl, C_1 - C_7 alkylcarbonyl, C_1 - C_7 alkoxycarbonyl, nitryl, aryl; all of which, except halogen, are independently optionally substituted by one or more substituents, selected from the group consisting of halogen, hydroxyl, C_1 - C_7 alkyl, mono or di- C_1 - C_7 alkylamino, aminocarbonyl, mono or di-lower alkylaminocarbonyl, amino, carboxy, C_1 - C_7 alkoxy, C_3 - C_{12} cycloalkyl, C_3 - C_{18} heterocycloalkyl, C_1 - C_7 alkylcarbonyl, C_1 - C_7 alkoxycarbonyl, nitryl, aryl;

the optional substituent or substituents on Y' being independently selected from the group consisting of halogen, hydroxyl, C₁-C₂-alkyl, mono or di-C₁-C₂-alkylamino, aminocarbonyl, mono or di-C₁-C₂ alkylaminocarbonyl, amino, carboxy, C₁-C₂ alkoxy, C₃-C₁₂ cycloalkyl, C₃-C₄₈ heterocycloalkyl, C1-C2 alkylcarbonyl, C1-C2 alkoxycarbonyl, nitryl, aryl; all of which, except halogen, are independently optionally substituted by one or more substituents, selected from the group consisting of halogon, hydroxyl, C₁ C₂ alkyl, mono or di C₁ C₂ alkylamino, aminocarbonyl, mono or di C₁ C₂ alkylaminocarbonyl, amino, carboxy, C₁ C₂ alkoxy, C₃ C₁₂ cycloalkyl, C₃ C₁₈ heterocycloalkyl, C₄-C₇-alkylcarbonyl, C₄-C₇-alkoxycarbonyl, nitryl, aryl.

(Currently Amended) A compound according to claim 1 or 2 selected from: 4-Methoxy-1H-indole-2-carboxylic-acid [1-(2-azepan-1-yl-ethyl)-piperidin-4-yl]-amide 4-Isopropoxy 1H indole 2-carboxylic acid [1 (2-azepan-1-yl-ethyl) piperidin 4-yl] amide

3.

- 4 Isopropoxy 1H indole 2 carboxylic acid {1 [2 (4 hydroxy piperidin 1 yl) ethyl] piperidin 4 yl} amide
- 4-Cyclopropylmethoxy-1H-indole 2-carboxylic acid [1-(2-azepan-1-yl-ethyl)-piperidin-4-yl]-amide 4-Cyclopropylmethoxy 1H-indole 2-carboxylic acid (1-[2-(4-hydroxy-piperidin-1-yl)-ethyl]
- piperidin-4-yl}-amide
- 4 Cyclopropylmethoxy 1H-indole-2-carboxylic acid {1-[(S)-2-(4-hydroxy-piperidin-1-yl)-propyl]piperidin-4-yl}-amide
- 4-Cyclopropylmethoxy-1H-indole-2-carboxylic acid-(1-[(S)-2-((3S,4S)-4-hydroxy-3-methylpiperidin 1 yl) propyl] piperidin 4 yl) amide
- 4-Isobutoxy-1H-indole 2 carboxylic acid [1 (2-azepan-1-yl-ethyl) piperidin-4-yl] amide
- 4 Isobutoxy 1H indole 2 carboxylic acid [1 (2 piperidin 1 yl ethyl) piperidin 4 yl] amide
- 4-Isobutoxy 1H-indole 2 carboxylic acid {1 [2 (RS) 2 methyl-piperidin 1-yl) ethyl] piperidin 4-yl} amide
- 4-Isobutoxy 1H-indole 2 carboxylic acid {1-[2-(4-methyl-piperidin-1-yl) ethyl] piperidin-4-yl} amide

- 4-Isobutoxy-1H-indole-2-carboxylic acid-{1-[2-((2S,6R)-2,6-dimethyl-piperidin-1-yl)-ethyl]-piperidin-4-yl}-amide
- 4-Isobutoxy-1H-indole-2-carboxylic-acid {1-[2-((R)-3-hydroxy-piperidin-1-yl)-ethyl]-piperidin-4-yl}-amide
- 4-Isobutoxy 1H-indole 2-carboxylic acid {1 [2 ((S) 3 hydroxy-piperidin 1 yl) ethyl] piperidin 4 yl} amide
- 4-Isobutoxy-1H-indole-2 carboxylic acid-{1-[2-(4-hydroxy-piperidin-1-yl)-ethyl]-piperidin-4-yl}-amide
- 4-Isobutoxy 1H indole 2-carboxylic acid {1-[2-((1R,3S,5S) 3-hydroxy 8-aza-bicyclo[3.2.1]oct 8-yl) ethyl] piperidin 4-yl} amide
- 4-Isobutoxy-1H-indole 2 carboxylic acid {1-[(S) 2-(4-hydroxy-piperidin-1-yl)-propyl]-piperidin 4-yl}-amide
- 4-Isobutoxy-1H-indole-2-carboxylic acid [4-(2-azepan-1-yl-ethyl)-phenyl]-amide
- 4-Isobutoxy-1H-indole-2-carboxylic acid (4-{[methyl-(tetrahydro-pyran-4-yl)-amino]-methyl}-cyclohexyl)-amide
- 4-Isobutoxy-1H-indole-2-carboxylic acid (4-{[methyl-(tetrahydro-pyran-4-yl)-amino]-methyl}-phenyl)-amide
- 4-Isobutoxy-1H-indole-2-carboxylic acid (4-{(R)-1-[methyl-(tetrahydro-pyran-4-yl)-amino]-ethyl}-phenyl)-amide
- 4-Cyclobutylmethoxy-1H-indole-2-carboxylic acid [1 (2-azepan-1-yl-ethyl)-piperidin-4-yl]-amide
- 4 Cyclobutylmethoxy 1H indole 2 carboxylic acid {1 [2 (3 (R) hydroxy piperidin 1 yl) ethyl] piperidin 4 yl} amide
- 4 Cyclobutylmethoxy 1H indole 2 carboxylic acid {1 {2 (4-hydroxy-piperidin 1-yl) ethyl] piperidin 4-yl}-amide
- 4-Cyclobutylmethoxy-1H-indole-2-carboxylic acid {1-[2-((3S,4S)-4-hydroxy-3-methyl-piperidin-1-yl)-ethyl]-piperidin-4-yl}-amide
- 4-Cyclobutylmethoxy-1H-indole 2-carboxylic acid {1-[2-((1R,3S,5S)-3-hydroxy-8-aza-bicyclo[3.2.1]oct 8-yl)-ethyl]-piperidin-4-yl}-amide

- 4-Cyclobutylmethoxy-1H-indole-2-carboxylic acid {1-{(S)-2-(4-hydroxy-piperidin-1-yl)-propyl}-piperidin-4-yl}-amide
- 4-Cyclobutylmethoxy-1H-indole-2-carboxylic-acid {1-{(S)-2-((3S,4S)-4-hydroxy-3-methyl-piperidin-1-yl)-propyl]-piperidin-4-yl}-amide
- 4-(3-Methyl butylexy)-1H indele-2 carboxylic acid {1-{2-(4-hydroxy-piperidin-1-yl) ethyl}-piperidin-1-yl}-amide dihydrochloride
- 4-Cyclopentylmethoxy 1H-indole 2 carboxylic acid [1-[2-(4-hydroxy-piperidin-1-yl) ethyl]-piperidin-4-yl] amide
- 4-(1,2-Dimethyl-propoxy) 1H-indole-2-carboxylic acid [1-(2-azepan-1-yl-ethyl)-piperidin-4-yl] amide
- 4-(2,2 Dimethyl-propoxy)-1H-indole-2-carboxylic acid [1-(2-azepan-1-yl-ethyl)-piperidin-4-yl]-amide
- 4-(4-Methyl-pentyloxy) 1H-indole 2-carboxylic acid {1-[2-(4-hydroxy-piperidin-1-yl)-ethyl]-piperidin-4-yl}-amide-dihydrochloride
- 4-(3,3-Dimethyl-butoxy)-1H-indole-2 carboxylic acid {1-[2-(4-hydroxy-piperidin-1-yl)-ethyl]-piperidin-4-yl}-amide-dihydrochloride
- 4 (Furan 2 ylmethoxy) 1H indole 2 carboxylic acid [1 (2 azepan 1 yl ethyl) piperidin 4 yl] amide
- 4 (Furan-3 ylmethoxy)-1H-indole-2-carboxylic-acid [1 (2-azepan-1-yl-ethyl)-piperidin-4-yl] amide
- 4 (Furan 3 ylmethoxy) 1H indole 2 carboxylic acid (1 [2 (4 hydroxy piperidin 1 yl) ethyl) piperidin 4 yl) amide
- 4 (Furan 3 ylmethoxy) 1H indole 2 carboxylic acid {1 [2 ((3S,4S) 4 hydroxy 3 methyl piperidin 1 yl) ethyl] piperidin 4 yl) amide
- 4-(Furan-3-ylmethoxy)-1H-indole-2-carboxylic acid {1-[(S)-2-(4-hydroxy-piperidin-1-yl)-propyl]-piperidin-4-yl}-amide
- 4-(Furan-3-ylmethoxy)-1H-indole-2-carboxylic acid {1-{(S)-2-((3S,4S)-4-hydroxy-3-methyl-piperidin-1-yl)-propyl}-piperidin-4-yl}-amide
- 4-Benzyloxy-1H-indole-2-carboxylic acid [1-(2-azepan-1-yl-othyl) piperidin-4-yl]-amide

- 4-(5-chloro-benzofuran-3-ylmethoxy) 1H-indole-2-carboxylic acid {1-[(1S,9aR)-1-(octahydro-quinolizin-1-yl)methyl] piperidin-4-yl} amide dihydrochloride
- 4-(5-Chloro-benzofuran-3-ylmethoxy) 1H-indole-2 carboxylic acid [1-(2-azepan-1-yl-ethyl)-piperidin-4-yl]-amide
- 4 (5 Chloro benzofuran 3 ylmethoxy) 1H indole 2 carboxylic acid {1-[2 (4 hydroxy piperidin-1-yl) ethyl] piperidin 4 yl} amide
- 4-(5-Chloro-benzofuran-3-ylmethoxy)-1H-indole-2-carboxylic acid {1-[2-((35,45)-4-hydroxy-3-methyl-piperidin-1-yl)-ethyl]-piperidin-4-yl]-amide
- 4-(5-Chloro-benzofuran-3-ylmethoxy)-1H-indole-2-carboxylic acid {1-[(S)-2-(4-hydroxy-piperidin-1-yl)-propyl]-piperidin-4-yl}-amide dihydrochloride
- 4-(5-Chloro-benzofuran-3-ylmethoxy)-1H-indole-2-carboxylic acid-{1-{(S) 2-((3S,4S) 4-hydroxy-3-methyl-piperidin-1-yl)-propyl}-piperidin-4-yl}-amide-dihydrochloride
- 4 (4 Fluoro-benzofuran 3 ylmethoxy) 1H indole 2 carboxylic acid {1 {(1S,9aR)-1 (octahydro-quinolizin 1 yl)methyl]-piperidin 4 yl} amide dihydrochloride
- 4 (4 Fluoro-benzofuran 3 ylmethoxy) 1H indole 2 carboxylic acid (1-[2 (4 hydroxy piperidin 1-yl) ethyl]-piperidin 4 yl}-amide dihydrochloride
- 4-(Benzofuran-3-ylmethoxy)-1H-indole-2-carboxylic acid {1-[(1S,9aR)-1-(octahydro-quinolizin-1-yl)methyl]-piperidin-4-yl}-amide dihydrochloride
- 4 (Bonzofuran 3 yimethoxy) 1H indole 2 carboxylic acid {1 [2 (4 hydroxy piperidin 1 yl) ethyl] piperidin 4 yl} amide
- 4-(Benzofuran-3-ylmethoxy) 1H indole-2 carboxylic acid {1-[2-((3S,4S)-4-hydroxy-3-methyl-piperidin-1-yl)-ethyl]-piperidin-4-yl}-amide
- 4-(Benzofuran-3-ylmethoxy)-1H-indole-2-carboxylic-acid {1-{(S)-2-(4-hydroxy-piperidin-1-yl)-propyl]-piperidin-4-yl}-amide
- 4-(Benzofuran-3 ylmethoxy) 1H-indole-2 carboxylic acid {1-[(S) 2-((3S,4S) 4-hydroxy-3-methyl-piperidin-1-yl)-propyl]-piperidin-4-yl} amide
- 4-(6-Fluoro-benzofuran-3-ylmethoxy) 1H-indole-2 carboxylic acid-{1-[(1S,9aR)-1-(octahydro-quinolizin-1-yl)methyl]-piperidin-4-yl}-amide dihydrochloride

- 4-(6-Fluoro-benzofuran-3-ylmethoxy) 1H-indole 2-carboxylic acid {1-[2-(4-hydroxy-piperidin-1-yl)-ethyl]-piperidin-4-yl}-amide-dihydrochloride
- 4-(6-Fluoro benzofuran-3 ylmethoxy)-1H-indole-2 carboxylic acid {1-[2-((3S,4S)-4-hydroxy-3-methyl-piperidin-1-yl)-ethyl]-piperidin-4-yl]-amide dihydrochloride
- 4-(6-Fluoro benzofuran-3-ylmethoxy)-1H-indole-2-carboxylic-acid {1-[(S)-2-(4-hydroxy-piperidin-1-yl)-propyl]-piperidin-4-yl}-amide-dihydrochloride
- 4-(6-Fluoro-benzofuran 3-ylmethoxy)-1H-indole-2-carboxylic acid {1-{(S)-2-((3S,4S)-4-hydroxy-3-methyl-piperidin-1-yl)-propyl}-piperidin-4-yl}-amide
- 4-(5-Fluoro-benzofuran 3-ylmethoxy)-1H-indole-2-carboxylic-acid {1-[(1S,9aR)-1-(octahydro-quinolizin-1-yl)methyl]-piperidin-4-yl}-amide
- 4 (5 Fluoro benzofuran 3 ylmethoxy) 1H indole 2 carboxylic acid {1 [2 (4 hydroxy piperidin 1 yl) ethyl] piperidin 4 yl} amide dihydrochloride
- 4-(5-Fluoro-benzofuran 3-ylmethoxy)-1H-indole-2-carboxylic-acid {1-[2-((3R,4R,5S)-4-hydroxy-3,5-dimethyl-piperidin-1-yl)-ethyl]-piperidin-4-yl]-amide-dihydrochloride
- 4-(5-Fluoro-benzofuran 3-ylmethoxy)-1H-indole-2 carboxylic acid {1-[(S)-2-(4-hydroxy-piperidin-1-yl)-propyl]-piperidin-4-yl}-amide-dihydrochloride
- 4-(5-Fluoro-benzofuran-3-ylmethoxy)-1H-indole-2-carboxylic-acid-{1-[(S)-2-((3S,4S)-4-hydroxy-3-methyl-piperidin-1-yl) propyl} piperidin-4-yl}-amide
- 4 (7 Fluoro benzofuran 3 ylmethoxy) 1H indole 2 carboxylic acid {1 {(1S,9aR) 1 (octahydroquinolizin 1 yl)methyl} piperidin 4 yl} amide dihydrochloride
- 4-(4,6-Difluero-benzofuran-3-ylmethoxy) 1H-indole-2-carboxylic-acid-{1-[(15,9aR)-1-(octahydro-quinolizin-1-yl)methyl]-piperidin-4-yl}-amide-dihydrochloride
- 4-(4,6-Difluoro-benzofuran-3-ylmethoxy)-1H-indole-2-carboxylic-acid {1-[2-(4-hydroxy-piperidin-1-yl)-ethyl]-piperidin-4-yl}-amide-dihydrochloride
- 4 (4,6-Difluoro-benzofuran 3-ylmethoxy) 1H indolo 2-carboxylic acid (1-[2-((3S,4S) 4-hydroxy 3-methyl-piperidin 1-yl) ethyl] piperidin 4-yl} amide dihydrochloride
- 4-(4,6-Diffuoro-benzofuran-3-ylmethoxy)-1H-indole-2-carboxylic-acid-{1-{(S) 2 (4 hydroxy-piperidin-1-yl)-propyl}-piperidin-4-yl}-amide-dihydrochloride

- 4-(4,6-Difluero-benzofuran-3-ylmethoxy)-1H-indole-2-carboxylic-acid-(1-[(S)-2-((3S,4S)-4-hydroxy-3-methyl-piperidin-1-yl)-propyl]-piperidin-4-yl}-amide-dihydrochloride
- 4 (7 Chloro-benzofuran 3 ylmethoxy) 1H-indole 2 carboxylic acid (1 [(15,9aR) 1 (octahydro-quinolizin 1-yl)methyl] piperidin 4-yl) amide dihydrochloride
- 4 (6 Chloro benzofuran 3 ylmethoxy) 1H indole 2 carboxylic acid (1-[(15,9aR) 1 (octahydroquinolizin 1-yl)methyl] piperidin 4-yl) amide dihydrochloride
- 4-(6-Chlore-benzefuran-3-ylmethoxy) 1H indole 2-carboxylic acid {1-{2-(4-hydroxy-piperidin-1-yl)-ethyl]-piperidin-4-yl}-amide
- 4 (6 Chlore-benzefuran 3 ylmethoxy) 1H-indole 2 carboxylic acid (1-[2 ((35,45) 4-hydroxy 3 methyl-piperidin 1-yl) ethyl] piperidin 4 yl) amide
- 4 (6 Chloro-benzofuran-3 ylmethoxy) 1H indole 2 carboxylic acid {1 [(S) 2 (4 hydroxy piperidin-1-yl) propyl] piperidin 4 yl} amide dihydrochloride
- 4 (4-Chloro-benzofuran-3-ylmethoxy) 1H-indole 2-carboxylic acid (1-[(15,9aR) 1-(octahydro-quinolizin-1-yl)methyl]-piperidin-4-yl} amide dihydrochloride
- 4-(4-Chloro-benzofuran-3-ylmethoxy) 1H-indole-2-carboxylic-acid {1-[2-(4-hydroxy-piperidin-1-yl)-ethyl]-piperidin-4-yl}-amide-dihydrochloride
- 4-(4-Chloro-benzofuran-3-ylmethoxy)-1H-indole-2-carboxylic-acid {1-[2-((3R,4R,5S)-4-hydroxy-3,5-dimethyl-piperidin-1-yl)-ethyl]-piperidin-4-yl}-amide-dihydrochloride
- 4-(4-Chloro-benzofuran-3-ylmethoxy)-1H-indole-2-carboxylic-acid-{1-[(S)-2-(4-hydroxy-piperidin-1-yl)-propyl]-piperidin-4-yl)-amide
- 4-(7-Methoxy-benzofuran-3-ylmethoxy) 1H-indole 2-carboxylic acid {1-[(1S,8aR)-1-(octahydro-quinolizin-1-yl)methyl] piperidin-4-yl} amide dihydrochloride
- 4-(7-Methoxy-benzofuran-3-ylmethoxy)-1H-indole-2-carboxylic-acid-[1-(2-piperidin-1-yl-ethyl)-piperidin-4-yl]-amide
- 4 (7 Methoxy-benzofuran-3 ylmethoxy) 1H-indole-2-carboxylic acid {1 [2 (4-hydroxy-piperidin-1-yl) ethyl] piperidin-4 yl} amide dihydrochloride
- 4-(7-Methoxy-benzofuran-3-ylmethoxy) 1H-indele 2-carboxylic acid (1-[2-((3S,4S)-4-hydroxy-3-methyl-piperidin 1-yl) ethyl] piperidin 4-yl} amide dihydrochloride

- 4-(7-Methoxy-benzofuran-3-ylmethoxy) 1H indole 2-carboxylic acid {1-{(S)-2-(4-hydroxy-piperidin-1-yl)-propyl}-piperidin-4-yl}-amide-dihydrochloride
- 4-(7-Methoxy-benzofuran-3-ylmethoxy)-1H-indole-2-carboxylic acid {1-[(S)-2-((3S,4S)-4-hydroxy-3-methyl-piperidin-1-yl)-propyl]-piperidin-4-yl)-amide
- 4-(6-Methoxy benzofuran 3 ylmethoxy)-1H-indole 2 carboxylic acid (1-[(1S,9aR)-1 (octahydro-quinolizin-1-yl)methyl]-piperidin-4-yl) amide
- 4 (6 Methoxy benzofuran 3 ylmethoxy) 1H indole 2 carboxylic acid [1 (2 azepan 1 yl ethyl) piperidin 4 yl] amide
- 4-(6-Methoxy-benzofuran-3-ylmethoxy)-1H-indole-2-carboxylic acid {1-[2-(4-hydroxy-piperidin-1-yl)-ethyl]-piperidin-4-yl}-amide
- 4-(6-Methoxy-benzofuran-3-ylmethoxy) 1H indole-2 carboxylic acid (1-[2-((3S,4S)-4-hydroxy-3-methyl-piperidin-1-yl) ethyl] piperidin-4-yl} amide dihydrochloride
- 4-(6-Methoxy benzofuran-3-ylmethoxy) 1H-indole 2-carboxylic acid {1-{(S)-2-(4-hydroxy-piperidin-1-yl) propyl} piperidin-4-yl}-amide
- 4-(6-Methoxy-benzofuran-3-ylmethoxy)-1H-indole-2-carboxylic acid {1-[(S)-2-((3S,4S)-4-hydroxy-3-methyl-piperidin-1-yl)-propyl]-piperidin-4-yl}-amide
- 4-(5-Methoxy-benzofuran-3-ylmethoxy)-1H-indole-2-carboxylic acid [1-(2-azepan-1-yl-ethyl)-piperidin-4-yl]-amide
- 4 (5 Methoxy benzefuran 3 ylmethoxy) 1H indole 2 carboxylic acid {1-[2 (4 hydroxy piperidin 1-yl) ethyl] piperidin 4 yl) amide
- 4 (4-Methoxy benzefuran 3 ylmethoxy) 1H indole 2 carboxylic acid (1 ((1S,9aR) 1 (octahydroquinolizin-1-yl)methyl) piperidin-4-yl) amide
- 4-(4-Methoxy-benzofuran-3-ylmethoxy) 1H-indole-2-carboxylic acid-(1-[2-(4-hydroxy-piperidin-1-yl)-ethyl]-piperidin-4-yl}-amide
- 4 (4 Methoxy benzofuran 3 ylmethoxy) 1H indole 2 carboxylic acid (1 [2 ((3S,4S) 4 hydroxy 3 methyl-piperidin 1 yl) ethyl] piperidin 4 yl) amide
- 4-(4-Methoxy-benzofuran-3-ylmethoxy) 1H indole-2-carboxylic acid {1-{(S)-2-(4-hydroxy-piperidin-1-yl)-propyl}-piperidin-4-yl}-amide

٠.,

- 4-(4-Methoxy-benzofuran-3-ylmethoxy)-1H-indole-2-carboxylic-acid {1-[(S)-2-((3S,4S)-4-hydroxy-3-methyl-piperidin-1-yl)-propyl]-piperidin-4-yl)-amide
- 4-(4,6-dimethoxy-benzofuran-3-ylmethoxy)-1H indole-2-carboxylic acid {1-{(1S,9aR)-1-(ectahydro-quinolizin-1-yl)methyl]-piperidin-4-yl} amide dihydrochloride
- 4-(4,6-Dimethoxy-benzofuran-3-ylmethoxy)-1H-indole-2-carboxylic-acid-(1-[2-(4-hydroxy-piperidin-1-yl)-ethyl] piperidin-4-yl}-amide
- 4-(4,6-Dimethoxy-benzofuran-3-ylmethoxy)-1H-indole-2-carboxylic-acid-{1-[2-((3S,4S)-4-hydroxy-3-methyl-piperidin-1-yl)-ethyl]-piperidin-4-yl}-amide-dihydrochloride
- 4-(4,6-Dimethoxy-benzofuran-3-ylmethoxy) 1H-indole-2-carboxylic-acid-(1-[(S)-2-(4-hydroxy-piperidin-1-yl)-propyl] piperidin-4-yl} amide
- 4-(4,6-Dimethoxy-benzofuran-3-ylmethoxy)-1H-indole-2-carboxylic-acid-{1-[(S)-2-((3S,4S)-4-hydroxy-3-methyl-piperidin-1-yl)-propyl]-piperidin-4-yl}-amide
- 4-(5,6-dimethyl-benzofuran-3-ylmethoxy)-1H-indole-2-carboxylic-acid-(1-[(1S,9aR)-1-(octahydro-quinolizin-1-yl)methyl]-piperidin-4-yl}-amide-dihydrochloride
- 4 (5,6 Dimethyl-benzofuran 3 ylmethoxy) 1H indole 2 carboxylic acid (1-[2 (4-hydroxy piperidin 1-yl) ethyl] piperidin 4 yl} amide
- 4 (5,6-Dimethyl-benzofuran 3-ylmethoxy) 1H indole 2 carboxylic acid (1 [2 ((3S,4S) 4-hydroxy-3 methyl-piperidin 1-yl) ethyl] piperidin 4-yl} amide dihydrochloride
- 4 (5,6-Dimethyl-benzefuran-3-ylmethoxy) 1H-indele-2-carboxylic acid (1 [(S) 2 (4 hydroxy-piperidin-1 yl) propyl] piperidin-4-yl) amide dihydrochloride
- 4-(5,6-Dimethyl-benzofuran-3-ylmethoxy) 1H indole-2-carboxylic acid {1-[(S)-2-((3S,4S)-4-hydroxy-3-methyl-piperidin-1-yl) propyl]-piperidin-4-yl}-amide dihydrochloride
- 4-(4-Ethoxy phenyl) 1H-indole-2-carboxylic acid {1-[(S)-2-(4-hydroxy-piperidin-1-yl)-propyl]-piperidin-4-yl} amide
- 4 (4 Methoxy phonyl) 1H indole 2 carboxylic acid (1 ((S) 2 (4 hydroxy piperidin 1 yl) propyl) piperidin 4-yl) amide
- 4 Phenoxy 1H indole 2 carboxylic acid [1 (2 azepan 1 yl ethyl) piperidin 4 yl] amide
- 4 m Tolyloxy-1H-indole 2 carboxylic acid [1 (2 azepan-1 yl-ethyl) piperidin 4 yl] amide

- 4 m-Tolyloxy-1H-indole-2 carboxylic-acid {1-[2-(3-(RS)-hydroxy-piperidin-1-yl)-ethyl]-piperidin-4-yl}-amide
- 4-m-Tolyloxy-1H indolo-2 carboxylic acid {1 [2-(4-hydroxy piperidin 1-yl)-ethyl]-piperidin 4-yl}-amide
- 4 p Tolyloxy 1H indole 2 carboxylic acid [1 (2 azepan 1 yl ethyl) piperidin 4 yl] amide
- 4 p Tolyloxy 1H indolo 2 carboxylic acid (1 [2 (3 (RS) hydroxy-piperidin 1 yl) ethyl] piperidin 4 yl) amide
- 4-p-Tolyloxy-1H-indole-2-carboxylic-acid {1-[2-(4-hydroxy-piperidin-1-yl)-ethyl]-piperidin-4-yl}-amide
- 4-(3-Fluoro-phonoxy)-1H-indole-2-carboxylic-acid [1-(2-azepan-1-yl-ethyl)-piperidin-4-yl]-amide
- 4-(3-Fluoro-phenoxy)-1H-indole-2-carboxylic acid-{1-[2-(4-hydroxy-piperidin-1-yl)-ethyl]-piperidin-4-yl}-amide
- 4-(4-Fluoro-phenoxy) 1H indole 2 carboxylic acid [1-(2 azepan-1-yl-ethyl) piperidin-4-yl] amide
- 4 (4 Fluoro-phenoxy) 1H-indole 2 carboxylic acid (1-[2-(4-hydroxy piperidin 1-yl) ethyl]-piperidin 4-yl) amide
- 4 (3,4 Difluoro phenoxy) 1H indole 2 carboxylic acid [1 (2 azepan 1 yl ethyl) piperidin 4 yl] amide
- 4 (3,5 Difluoro phenoxy) 1H indole 2 carboxylic acid [1 (2 azepan 1 yl-ethyl) piperidin 4 yl] amide
- 4-(3,5-Difluoro-phenoxy)-1H indole-2 carboxylic acid {1-[2-(3-RS-hydroxy-piperidin-1-yl) ethyl}-piperidin-4-yl}-amide
- 4 (3,5 Difluoro phenoxy) 1H-indole 2 carboxylic acid {1 [2-(4 hydroxy piperidin 1 yl) ethyl] piperidin 4 yl} amide
- 4 (6 Chloro pyridin 2 yloxy)-1H indole 2 carboxylic acid [1 (2 azepan 1 yl-ethyl) piperidin 4-yl] amide
- 4-Isobutoxy-1H-indole-2-carboxylic acid-[1-(octahydro-quinolizin-1-ylmethyl)-piperidin-4-yl]-amide-dihydrochloride

- 4 Isobutoxy-1H-indole 2-carboxylic acid [1 (1 methyl-piperidin-3-ylmethyl) piperidin-4-yl]-amide
- 4-Cyclobutylmethoxy-1H-indole-2-carboxylic acid {1-[(15,9aR)-1-(octahydro-quinolizin-1-yl)methyl]-piperidin-4-yl}-amide
- 4-Cyclobutylmethoxy 1H-indole-2-carboxylic acid (1-{(S)-2-((3R,4R)-4-hydroxy-3-methyl-piperidin-1-yl)-propyl] piperidin-4-yl) amide
- 4 Cyclobutylmethoxy 1H indole 2 carboxylic acid {1 [(S) 2 ((3S,4R,5S)-3,4 dihydroxy 5 methyl-piperidin 1 yl) propyl] piperidin 4 yl} amide
- 4-Cyclobutylmethoxy-1H-indole-2-carboxylic acid {1-[(R)-3-hydroxy-2-((3S,4S)-4-ydroxy-3-methyl-piperidin-1-yl)-propyl]-piperidin-4-yl}-amide
- 4-(Furan-3-ylmethoxy)-1H-indole-2-carboxylic-acid {1-{(1S,9aR)-1-(octahydro-quinolizin-1-yl)methyl}-piperidin-4-yl}-amide
- 4 (Furan-3-ylmethoxy) 1H-indole 2 carboxylic acid {1 [(S)-2 ((3R,4R)-4-hydroxy-3-methyl-piperidin-1-yl) propyl] piperidin-4-yl) amide
- 4-(2 Methyl thiazol-4-ylmethoxy)-1H-indole-2-carboxylic-acid [1-(octahydro-quinolizin-1-ylmethyl)-piperidin-4-yl]-amide
- 4-(Benzofuran 3-ylmethoxy)-1H-indole-2-carboxylic acid {1-[2-(3,4-dihydroxy-5-methyl-piperidin-1-yl)-propyl]-piperidin-4-yl}-amide
- 4-(5-Fluoro-benzofuran-3-ylmethoxy)-1H-indole-2-carboxylic acid-{1-[(S)-2-((3RS,4SR)-3,4-dihydroxy-piperidin-1-yl)-propyl]-piperidin-4-yl}-amide
- 4-(5 Chloro-benzofuran-3-ylmethoxy) 1H-indole-2-carboxylic acid (1-[(S)-2-((3RS,4SR)-3,4-dihydroxy-piperidin-1-yl)-propyl] piperidin-4-yl)-amide
- 4-(5-Chloro-benzofuran 3-ylmethoxy)-1H indolo-2-carboxylic acid {1-[(9S,9aS)-1-(octahydro-pyrido[2,1-c][1,4]oxazin-9-yl)methyl]-piperidin-4-yl}-amide
- 4-(5-Chloro-benzofuran-3-ylmethoxy)-1H-indole-2-carboxylic acid (1-[(85,8a5)-1-(hexahydro-pyrrolo[2,1-c][1,4]oxazin-8-yl)methyl]-piperidin-4-yl)-amide
- 4-(4-Methoxy-phenyl) 1H-indole-2-carboxylic acid {1 [(1S,9aR) 1 (octahydro-quinolizin 1 yl)methyl] piperidin-4 yl} amide

- 4-(4-Ethoxy-phenyl)-1H-indole 2-carboxylic-acid {1-[(15,9aR)-1-(octahydro-quinolizin-1-yl)methyl]-piperidin-4-yl}-amide
- 4-(6-Methoxy-pyridin-3-yl)-1H-indole-2-carboxylic acid {1-[(S)-2-((3S,4S)-4-hydroxy-3-methyl-piperidin-1-yl)-propyl]-piperidin-4-yl}-amide
- 4 (6 Methoxy pyridin 3 yl) 1H indole 2 carboxylic acid [1 [2 ((3S,4S) 4 hydroxy 3 methyl-piperidin 1 yl) ethyl] piperidin 4 yl) amide
- 4-p-Tolyloxy 1H-indole 2-carboxylic-acid {1-[(1S,9aR)-1 (octahydro-quinolizin-1-yl)methyl]-piperidin-4-yl}-amide
- 4-Isobutoxy-1H-indole-2-carboxylic-acid [1-(2-azepan-1-yl-1S-methyl-ethyl)-piperidin-4-yl]-amide
- 4-Isobutoxy 1H-indole 2-carboxylic acid [1-(2-azepan-1-yl-1/R-methyl-ethyl) piperidin-4-yl]-amide
- 4-(Furan-3-ylmethoxy)-1H-indole-2-carboxylic acid [1-(2S-azepan-1-yl-propyl) piperidin-4-yl]-amide
- 4 (Furan 3 ylmethoxy) 1H indole 2 carboxylic acid [1 (2R azepan 1 yl propyl) piperidin 4 yl] amide
- 4-Isobutoxy 1H indole-2 carboxylic acid {1-[2-(3,6 dihydro-2H-pyridin-1-yl) ethyl] piperidin-4-yl}-amide
- 4-Isobutoxy-1H-indole 2-carboxylic acid {1-[2-(4-hydroxy-azepan-1-yl)-ethyl]-piperidin-4-yl}-amide
- 4 Isobutoxy 1H indole 2 carboxylic acid {1 [2 (3 amino azepan 1 yl) ethyl] piperidin 4 yl} amide
- 4 Isobutoxy 1H indolo 2 carboxylic acid {1-[2-(3 fluoro-piperidin-1-yl) ethyl] piperidin 4-yl} amide
- 4-(5-Chloro-benzofuran-3-ylmethoxy)-1H-indole-2-carboxylic acid [4-(2-piperidin-1-yl-ethyl)-phenyl]-amide
- 4-(5-Chloro-benzofuran-3-ylmethoxy)-1H-indole-2-carboxylic acid {4-[2-(4-hydroxy-piperidin-1-yl)-ethyl]-phenyl}-amide
- 4-Phenyl-1H-indole-2-carboxylic acid [1-(2-azepan-1-yl-ethyl)-piperidin-4-yl] amide
- 4-(4-Trifluoromethyl-phenyl)-1H-indole-2-carboxylic acid [1-(2-azepan-1-yl-ethyl)-piperidin-4-yl]-amide

- 4-p Tolyl-1H indole-2 carboxylic acid [1-(2-azepan-1-yl-ethyl) piperidin-4-yl] amide
- 4-(4-Dimethylamino-phenyl)-1H-indole 2-carboxylic acid [1-(2-azepan-1-yl-ethyl)-piperidin-4-yl]-amide
- 4 Benzo[1,2,5]oxadiazol 5 yl-11-l indole 2 carboxylic acid [1-(2 azepan 1 yl-othyl) piperidin 4 yl] amide
- 4-(4-Methoxy-phenyl)-1H-indole-2-carboxylic acid [1-(2-azepan-1-yl-ethyl)-piperidin-4-yl]-amide
- 4-(3-Cyano-phenyl)-1H-indole-2-carboxylic acid [1-(2-azepan-1-yl-ethyl)-piperidin-4-yl] amide
- 4-(4-Ethoxy phenyl) 1H indole 2-carboxylic acid [1-(2-azepan-1-yl-ethyl) piperidin-4-yl] amide
- 4-[3-(3-Methoxy-propoxy)-phenyl] 1H indole 2 carboxylic acid [1 (2 azepan 1 yl-ethyl)-piperidin-4-yl]-amide
- 4 (4-Trifluoromethoxy phenyl) 1H indole 2 carboxylic acid [1-(2-azepan 1-yl-ethyl) piperidin 4-yl] amide
- 4 (2,4 Dimethoxy-phenyl) 1H indole 2-carboxylic acid [1 (2-azepan-1-yl-ethyl) piperidin-4-yl] amide
- 4 (3,4 Dimethoxy phenyl) 1H-indole 2 carboxylic acid [1 (2 azepan 1 yl ethyl) piperidin 4 yl] amide
- 4-Benzo[1,3]dioxol 5 yl-1H-indole 2 carboxylic acid [1-(2 azepan 1-yl-ethyl) piperidin 4-yl] amide
- 4-Pyridin-4-yl-1H-indole-2-carboxylic-acid [1-(2-azepan-1-yl-ethyl)-piperidin-4-yl]-amide
- 4-(6-Methoxy-pyridin-3-yl)-1H-indole-2-carboxylic acid [1-(2-azepan-1-yl-ethyl)-piperidin-4-yl]-amide
- 4-(4-Ethoxy-phenyl)-1H-indole-2-carboxylic acid [1-(2-piperidin-1-yl-ethyl)-piperidin-4-yl]-amide
- 4-(4-Methoxy-phenyl)-1H-indole-2 carboxylic-acid {1 [2-(4-hydroxy-piperidin-1-yl)-ethyl]-piperidin-4-yl}-amide
- 4-(4-Ethoxy phenyl) 1H indole-2 carboxylic acid (1-[2-(4-hydroxy-piperidin-1-yl) ethyl] piperidin-4-yl} amide
- 4-(6-Methoxy-pyridin 3-yl)-1H-indole-2-carboxylic acid {1-{2-(4-hydroxy-piperidin-1-yl)-ethyl}-piperidin-4-yl}-amide

4 (4-Methoxy-phonyl) 1H-indole-2 carboxylic acid {1-[2-(3-hydroxy-8-aza-bicyclo[3.2.1]oct-8-yl)-ethyl]-piperidin-4-yl}-amide

4 (6-Methoxy-pyridin 3-yl) 1H-indole 2-carboxylic acid (1-[2-(3-hydroxy-8-aza-bicyclo[3.2.1]oct-8-yl) ethyl]-piperidin 4-yl) amide

4-Hydroxy 1H indole 2 carboxylic acid [1-(2 azepan-1-yl ethyl)-piperidin 4-yl] amide

4 Methoxy-benzo[b]thiophene 2 carboxylic acid [1 (2 azepan 1 yl-ethyl) piperidin 4 yl] amide

4-Isobutoxy-benzo[b]thiophene 2 carboxylic acid [1 (2-azepan-1 yl ethyl) piperidin 4-yl] amide

4-Isobutoxy-benzo[b]thiophene 2-carboxylic acid [1-(2-piperidin-1-yl-ethyl)-piperidin-4-yl]-amide

4 Methoxy benzefuran 2 carboxylic acid [1 (2 azepan 1 yl ethyl) piperidin 4 yl] amide

4-5 (cancelled)

- 6. (Currently Amended) A process for the preparation of a compound of formula (I) comprising:
- (a) reacting a compound of formula (III):

wherein R" is H or a lower alkyl group, with a compound of formula $NH_2-X-Q-Y$, the groups R, R9, Z, X, Q and Y being as defined in claim 1; or

(b) for the preparation of compounds of formula (I) wherein X is piperidin 4 yl and Q is -CH₂-CH₂-, and Y is a group having the formula NR₂R₈ wherein N, R₂ and R₈ are linked to define collectively a heterocycloalkyl, bridged cycloalkyl, bridged heterocycloalkyl, heteroaryl, or fused aryl heterocycloalkyl, reacting a compound of formula (IV):

with a compound of formula NHR $_7$ R $_8$, wherein R $_7$ and R $_8$ are as defined above, and R, R9 and Z are as defined earlier; or

(c) for the preparation of compounds of formula (I) wherein X is piperidin 4 yl and Q is CH₂, reacting a compound of formula (V):

in which R, R9 and Z are as defined above, with a compound of formula HO CH_2 Y, in which Y is as defined earlier; or

(d) for the preparation of compounds of formula (I) wherein R is an optionally substituted aryl group, appropriately substituting the Br group in a compound of formula (VI) for said substituted aryl group:

wherein Z, R9, X, Q and Y are as earlier defined;

and recovering the resultant compounds of formula (I) in free or salt form.

7. (Original) A compound obtainable by the process of claim 5.

8. (Original) A pharmaceutical composition comprising a compound according to claim 1 in association with a pharmaceutically acceptable diluent or carrier.

9-10 (Cancelled).

- 11. (Original) A method of inhibiting chemokine receptors or macrophage protein or of reducing inflammation in a subject in need of such treatment, which method comprises administering to said subject an effective amount of a compound according to claim 1.
- 12. (Currently Amended) A method of treating an inflammatory or autimmune autoimmune disease or condition, comprising administering to said subject an effective amount of a compound according to claim 1.
- 13. (Original) A method of treating HIV infection or AIDS, comprising administering to said subject an effective amount of a compound according to claim 1.
- 14. (Cancelled).
- 15. (New) A method of treating an inflammatory or autoimmune disease or condition or HIV or AIDS, comprising administering to said subject an effective amount of a compound according to claim 1, in combination with one or more agents selected from: methotrexate, an anti-TNF agent, an anti-IL-1 agent, a nucleoside or non-nucleoside reverse transcriptase inhibitor, an HIV protease inhibitor, fusion inhibitor and antiretroviral agent